



**BUILT TO
EXPLORE**

zodiac-nautic.com



@ZodiacNautic



@Zodiac_Nautic



@ZodiacNautic



It isn't exclusive to explorers who go to the ends of the earth.

Adventure can be as simple as a fishing trip with your children or a trip to the sea at sunset.


The key is knowing how to retain the childlike spirit you had growing up, when you dreamed of exploring the world.

ADVENTURE IS MORE THAN JUST A WORD. IT'S AN EMOTION

It's that feeling when you weigh anchor, leave the port or discover a cove.

At ZODIAC, we build sturdy, versatile, reliable vessels that are designed for exploration but tailored to your experiences.

STOP DREAMING OF ADVENTURE LIVE IT!



125 years of experience and inventor of the inflatable boat, Zodiac Nautic offers products with exceptional resistance and reliability thanks to materials and manufacturing processes that are always at the cutting edge of technology.

World-renowned French brand, founded in 1896
Manufacturer of airships

- 1920: First shuttles for the French Navy (transport of shells and ammunition)
- 1952: Alain Bombard's Atlantic crossing on board the Hérétique
- 1960: Development of boating and inflatable boats for the public (leisure boom)
- 2006
- 2007: Largest turnover in ZODIAC's history (€80bn)
- 2015: Zodiac Nautic is taken over by three French industrialists: Dominique Heber-Suffrin, Pierre Bastid & Florent Batistella
- 2017: Launch of the eJET 450, the first electric tender with a water jet for the tender market
- 2021: Launch of an electric range

zodiac-nautic.com

HISTOIRE

BUILT TO EXPLORE FREEDOM



BUILT TO SECURE

The tubes of a Zodiac boat have several compartments separated by watertight partitions. Thanks to this technology and its significant air reserve, the boat retains its buoyancy and remains conceptually unsinkable when fully loaded, even with a deflated compartment.

BUILT TO STABILIZE

The buoyancy distributed around the edges, combined with a very low centre of gravity, ensures a stability that makes Zodiac boats almost impossible to capsize when loaded!

BUILT TO RESIST

Zodiac carefully selects the materials that are used to build its boats according to a strict set of specifications that guarantee an exceptional standard of quality. Zodiac Nautic is probably the only manufacturer to put its new boats through a rigorous series of sailing tests in extreme conditions. Rest assured, your Zodiac Nautic boat will accompany you everywhere and for a long time.

QUALITY

THE REMOVABLE TUBE. A CONCEPT BY ZODIAC NAUTIC

The tube acts as a bumper and prevents your boat from being damaged during manoeuvres.

Available on most of our models, the tube is equipped with a bolt rope that slots into a groove in the hull. Sealing is ensured by pressurising the tube. Fully removable, the tube can be dismantled and folded for easy maintenance, repair, transport and storage.

CHANGING THE TUBE?

Nothing could be simpler; the tubes can be replaced independently of the hulls, ideal for renovating or giving your boat a new look at low cost.



GAMMES

DIVERSITY

At Zodiac, we design boats to withstand all conditions and for all uses. Whatever your needs, we have the model with the right profile for you.



YOU CAN NOW CREATE YOUR OWN CUSTOMISED MODEL USING OUR CONFIGURATOR.



MEDLINE

P.26



PRO

P.10



eOPEN

ELECTRIC

P.36



OPEN

P.18




Yachtline

P.40



Tenders

P.42



BUILT TO EXPLORE *YOUR* CHALLENGES

OR R R



Popular with everyone, the PROs are equipped with a “platform” deck that offers multiple arrangement possibilities depending on the application. Their removable tube makes them easy to maintain and a real all-rounder.

SIZES



PRO RANGE

ADVENTURER AT HEART

.....



PRACTICALITY - ADAPTABILITY - DESIGN CHOICES - CUSTOMISED EQUIPMENT

Whether diving, fishing or underwater hunting,
you can choose and design your boat according to
your preferences:
YOUR PRO WILL FIT PERFECTLY!

**CONFIGURE
YOUR OWN**



**DOWNLOAD
THE DATA SHEETS
HERE**





External inside length (m)	4.20/2.90	4.70/3.38	5.40/4.25	6.1/4.94	6.75/5.71	8.50/7.45
External inside width (m)	1.90/0.95	2.05/1.05	2.54/1.39	2.54/1.39	2.54/1.39	3/1.85
Weight (kg)	181	230	430	610	790	1450
Number of passengers	7	9	12	15	16	25
Max. power (HP)	50	70	115	175	250 - 2x130	350 - 2x250
Tank (litres)			100	200	200	400

STANDARD EQUIPMENT*

- Standard equipment
- Flat deck
- Customisable boat
- Over 200 pieces of equipment available
- Deep V-shaped polyester hull
- Removable tube with grab lines and handholds
- Integrated tank
- Anchor locker
- Ladder

MAIN OPTIONS

- T-TOP
- Bow cushion
- Roll bar
- Rail
- Bathing deck
- Fusion audio kit
- Covers
- Turboswing
- Console extension
- Footrest
- Extra seats
- Ski mast

Discover more options on the technical datasheet.






BUILT TO EXPLORE *WITHOUT* LIMITS

Z
E
R
O



Open up a world of possibilities with the iconic OPEN range. Its adaptability and versatility make it the ideal companion for all your activities while living your passion to the full.

SIZES



OPEN RANGE

THE ALL-IN-ONE PACKAGE



PERFORMANCE - VERSATILITY - STORAGE - MULTI-ACTIVITY - ERGONOMICS - ADAPTABILITY

Discover infinite possibilities! The OPEN range offers a perfect balance between performance and comfort. The ideal tool that can be transformed to allow you to practise all your activities as you wish. Designed to be there on all your adventures,

**CONFIGURE
YOUR OWN**



**DOWNLOAD
THE DATA SHEETS
HERE**





OPEN 3.1



OPEN 3.4



OPEN 4.2



OPEN 4.8



OPEN 5.5



OPEN 6.5

External inside length (m)	3.1/2	3.4/2.16	4.2/2.7	4.7/2.92	5.40/4.22	6.10/4.94
External inside width (m)	1.65/0.71	1.7/0.8	1.9/1.1	2.05/1.1	2.54/1.39	2.54/1.39
Weight (kg)	135	155	270	305	585	760
Number of passengers	4	4	6	6	12	15
Max. power (HP)	25*	30	50	80	130	175
Tank (litres)	24	24	46	46	100	200

*Max engine weight 57 kg

STANDARD EQUIPMENT*

From 3.1 to 4.8

- Removable tube with anti-slip patches and double grab lines
- Polyester bow roller with navigation lights
- Bow seat with cushion
- Console with windscreen, grab rail and locker
- Two comfortable seats
- 2-seater bench with backrest
- Locker under bench

From 5.5 to 6.5

- Removable tube with anti-slip patches and double grab lines
- Polyester bow roller with navigation lights
- Bow seat with cushion
- Fully-equipped cockpit
- Console with windscreen and grab rail
- Large locker ideal for storing nautical equipment and fishing rods.
- Two-seater bolster with locker
- Aft bench seat with comfortable backrests and storage
- Integrated rod holder and cooler

MAIN OPTIONS

- Bow sun deck
- Backrest bolster
- T-TOP
- Roll bar
- Platforms
- EVA deck mica
- Fusion Audio Kit

LIMITED EDITION



GULFSTREAM EDITION






BUILT TO EXPLORE

WITH FRIENDS AND FAMILY



Discover the Medline Range!
Designed as THE ultimate pleasure boat, it will delight your family and friends for unforgettable, long excursions.

SIZES



W
Z
E
L
D
E
Z

MEDLINE RANGE

ULTIMATE PLEASURE



CONVIVIALITY - RELAXATION - PLEASURE - SHARING


What if you had your own private beach? With its exceptional versatility, the Medline range allows you to transform your deck into a real sunbathing area. Indulge in a moment of peace and quiet on its quality upholstery, escape for a lunch with friends or go for a dip with the family.

CONFIGURE YOUR OWN



DOWNLOAD THE DATA SHEETS HERE





MEDLINE 5.8



MEDLINE 6.8



MEDLINE 7.5



MEDLINE 9

External inside length (m)	5.8	6.88/6.34	7.34/6.16	8.90/8.2
External inside width (m)	2.54	2.54/1.39	2.90/1.67	3.06/1.86
Weight (kg)	673	950	1150	1850
Number of passengers	11	14	16 (C) - 6 (B)	20 (C) - 8 (B)
Max. power (HP)	NC	250	300	1x450 / 2x350
Tank (litres)	90	200	300	400

STANDARD EQUIPMENT*

- XXL double bow and aft recreation area
- Cosy u-shaped aft cabin (or bench)
- Large bow sun deck
- User-friendly cockpit
- Latest generation console with locker and bow seat
- Two-position bolster with backrests
- Minimum 3 storage lockers
- High-quality dual-material upholstery
- Removable tube with handholds
- Options: available packages adapted to the desired programme.

MAIN OPTIONS

- Sunbed extension
- Table
- Ski Mast
- Roll bar + Bimini
- EVA decking
- Refrigerator
- Shower Hose
- Audio Fusion kit



MEDLINE 5.8

THE NEWEST
FAMILY MEMBER



THE NEW EQUIPMENT

- Console with a wide seat
- Ultra comfortable bolster
- Double sun deck
- Reassuring polyester wings
- Plenty of foredeck space

- Maximum horsepower: 115
- Number of passengers : 11
- Total length : 5.8 m / 19 ft
- Width : 2.54 m / 8.33 ft

Yes, it's our latest model, but here at Zodiac we have not skimped on the equipment nor the ergonomics on board: Double relaxation area with the aft bench seat that converts into a sun deck and a true captain's helm, we have thought of everything!

**FIND OUT
MORE HERE**



**DOWNLOAD
THE DATA SHEETS
HERE**





BUILT TO EXPLORE *NEW* HORIZONS

NEW
E
R
O
E




THE ELECTRIC
EOPEN RANGE



SIZES

eOPEN



eOPEN RANGE - ELECTRIC

THE FIRST ELECTRIC OPEN



MAINTENANCE-FREE - QUIET - EASY TO TRANSPORT - EASY TO STORE



Zodiac eOPEN powered by Torqeedo: fully electric
The first fully electric powered range, these new models are true technological wonders, part of a new era for Torqeedo and for Zodiac.



1h30
13 n.



Long. 3.1/3.4 m
larg. 1.65/1.7 m



14 n.

DOWNLOAD
THE DATA SHEETS
HERE



50 kw



4



8/10 h



Ideal for heading out to explore inaccessible places. Smooth, fast reacting to the helm, with around one hour's endurance at full power, complete silence while cruising, no need for maintenance or servicing, for long term savings. A unique experience.

**CONFIGURE
YOUR OWN**



PREMIUM YACHTING



PRESTIGE TENDER
COMPACTNESS COM-
FORT ON BOARD

STANDARD EQUIPMENT*

- Standard equipment
- Polyester bow roller
- Bow seat with cushion
- User-friendly console with locker
- 2 bow seats and on the console side
- A comfortable aft bench with locker
- Polyester wings on both sides
- Courtesy lights

*Depending on model and size

MAIN OPTIONS

- Backrests
- Cover
- Wind deflector
- Slings
- EVA deck
- Grab handle



360



400



440



490

External/inside length (m)	3.60/2.00	4.00/2.40	4.40/2.80	4.90/2.98
External/inside width (m)	1.77/0.86	1.77/0.86	1.86/0.94	2.05/1.05
Weight (kg)	200	218	273	390
Number of passengers	4	5	6	9
Max. power (HP)	40	50	60	90
Tank (litres)	35	35	57	85

DOWNLOAD THE DATA SHEETS HERE





CADET & CADET RIB ALU



TENDERS

DECK TYPES OF THE CADET RANGE

200	230	270	310	350
Aero	Aero	Aero	Aero	Aero
Roll-Up	Roll-Up	Roll-Up	×	×
×	×	Alu	Alu	Alu



Aéro
High-pressure inflatable



Roll-Up
With slats. can be rolled up



Alu
In aluminum. removable plates


The aluminum hulls of the Cadet Rib Alu range

Ultra-lightweight, they can be handled effortlessly. Their large diameter tubes enhance stability and protection from spray, and make it easy to lift off quickly to carry passengers and equipment safely and dry!

Available without front box in sizes 240/270/330/360.
Or with front box: 300/330/360/390

DOWNLOAD THE DATA SHEETS HERE





AN INTERNATIONAL NETWORK OF TRUST

Present in more than 50 countries around the world, Zodiac Nautic and its 1.600 agents will use all their expertise to support you.

Our network guarantees an efficient and reliable after-sales service: whether you need a new accessory or to replace a lost part, you are sure to find a Zodiac Nautic dealer who will provide you with the expertise you need for your leisure activities. Our agents often maintain the same boat for over 20 years!

Do not hesitate to consult them: they will be able to advise you when you purchase your boat and then ensure its maintenance. We count on them, they deserve your trust.

Find all our dealers:

ZODIAC-NAUTIC.COM

*CADETS = 2-year guarantee. For conditions and geographical areas of application, please contact your distributor. N-ZO, MEDLINE, PRO, OPEN, YACHTLINE - 5-year guarantee under conditions (2 years at purchase + 3 years if registered in the ZODIAC club). For conditions and geographical areas of application, please contact your distributor.



JOIN THE CLUB

YOU ARE OUR BEST AMBASSADORS!

Buying a Zodiac means joining a community.

A community of enthusiasts, of pioneers. A community of owners who know that the quality of a boat starts with its design.

That resistance, reliability and robustness go hand in hand with safety and peace of mind.

A community that knows how to share its good ideas, its advice and its experience.

A community that meets around the world for unique events and knows that a Zodiac is much more than just a boat.

So what are you waiting for?

→ **CREATE YOUR ACCOUNT ON ZODIAC-NAUTIC.COM**



TECHNICAL SPECIFICATIONS

	MEDLINE			
	5.8	6.8	7.5	9
DIMENSIONS				
External length (m - ft)	5.8 - 19'0"	6.88 - 21'8"	7.34 - 24'1"	8.9 - 29'2"
Inside length (m - ft)	5.1 - 16'9"	6.34 - 20'8"	6.16 - 20'3"	8.2 - 26'1"
External width (m - ft)	2.54 - 8'4"	2.54 - 8'4"	2.90 - 9'6"	3.06 - 10'
Inside width (m - ft)	1.83 - 6'0"	1.39 - 4'7"	1.67 - 5'6"	2.03 - 6'8"
Tube diameter (m - ft)	0.51 - 1'8"	0.57 - 1'11"	0.6 - 1'12"	0.6 - 1'12"
Hull angle	NC	24°	NC	24°
CAPACITY				
Design category	C	C	B + C	B + C
Number of passengers (ISO)	11	14	16 (C) - 6 (B)	20 (C) - 8 (B)
Maximum permissible load (kg-lb)	1220 / 2690	NC	1730 - 3814 (C) 980 - 2161 (B)	NC
Total weight (kg-lb)	673 - 14784	950 - 2094	1150 - 2535	1850 - 4079
No. of sealed compartments	5	5	5	7
PROPULSION				
Shaft	extra long	extra long	extra long	1xXXL / 2xXL
Max. permissible power (in hp)	NC	250	300	1x450 / 2x350
Max. permissible power (in kW)	NC	NC	220	NC
Max. permissible engine weight (kg-lb)	250 - 551	300 - 661.3	385 - 849	460 (2x348) - 1014 (2x767)



	PRO					
	420	500	5.5	6.5	7	850
DIMENSIONS						
External length (m - ft)	4.20 - 13'9"	4.70 - 15'5"	5.40 - 17'9"	6.10 - 20'	6.75 - 22'2"	8.50 - 27'11"
Inside length (m - ft)	2.90 - 9'6"	3.38 - 11'1"	4.25 - 13'11"	4.94 - 16'2"	5.71 - 18'9"	7.45 - 24'5"
External width (m - ft)	1.90 - 6'3"	2.05 - 6'9"	2.54 - 8'4"	2.54 - 8'4"	2.54 - 8'4"	3.00 - 9'10"
Inside width (m - ft)	0.95 - 3'1"	1.05 - 3'5"	1.39 - 4'7"	1.39 - 4'7"	1.39 - 4'7"	1.85 - 6'1"
Tube diameter (m - ft)	0.455 - 1'6"	0.50 - 1'8"	0.57 - 1'10"	0.57 - 1'11"	0.57 - 1'10"	0.60 - 1'12"
Hull angle	19°	22°	24°	24°	24°	24°
CAPACITY						
Design category	C	C	C	C	B + C	B + C
Number of passengers (ISO)	7	9	12	15	16 (C) - 5 (B)	25 (C) - 8 (B)
Maximum permissible load (kg-lb)	780 - 1720	1060 - 2337	1550 - 3417	2050 - 4520	1960 - 4321 (C) 1160 - 2557 (B)	2800 - 6173 (C) 2050 - 4519 (B)
Total weight (kg-lb)	181 - 399	230 - 507	430 - 948	610 - 1345	790 - 1741	1450 - 3197
No. of sealed compartments	3	5	5	5	5	7
PROPULSION						
Shaft	long	long	long	XL long	XL single L twin engine	XXL single XL twin engine
Max. permissible power (in hp)	50	70	130	175 - 2x90	250 - 2x130	350 - 2x250
Max. permissible power (in kW)	37	52	84	131 - 2x66	183 - 2x95	257 - 2x183
Max. permissible engine weight (kg-lb)	115 - 253	170 - 374	225 - 496	282 - 622 2x220 - 2x440	293 - 645	393 - 866 2x300 - 2x661

	OPEN					
	3.1	3.4	4.2	4.8	5.5	6.5
DIMENSIONS						
External length (m - ft)	3.1 - 10'2"	3.4 - 11'2"	4.2 - 13'9"	4.7 - 15'5"	5.40 - 17'9"	6.10 - 20'
Inside length (m - ft)	2 - 6'7"	2.16 - 7'1"	2.7 - 8'10"	2.92 - 9'7"	4.22 - 13'10"	4.93 - 16'2"
External width (m - ft)	1.65 - 5'5"	1.7 - 5'7"	1.9 - 6'3"	2.05 - 6'8"	2.54 - 8'4"	2.54 - 8'4"
Inside width (m - ft)	0.71 - 2'4"	0.8 - 2'7"	1.1 - 3'7"	1.1 - 3'7"	1.39 - 4'7"	1.39 - 4'7"
Tube diameter (m - ft)	0.45 - 1'6"	0.45 - 1'6"	0.45 - 1'6"	0.5 - 1'6"	0.575 - 1'11"	0.57 - 1'11"
Hull angle					24°	24°
CAPACITY						
Design category	C	C	C	C	C	C
Number of passengers (ISO)	4	4	6	6	12	15
Maximum permissible load (kg-lb)	370 - 816	450 - 992	680 - 1499	760 - 1676	1410 - 3108	1770 - 3902
Total weight (kg-lb)	135 - 298	155 - 342	270 - 595	305 - 672	585 - 1290	760 - 1676
No. of sealed compartments	3	3	3	5	5	5
PROPULSION						
Shaft	S	L	L	L	long	XL
Max. permissible power (in hp)	25	30	50	80	130	175
Max. permissible power (in kW)	-	-	-	-	97	131
Max. permissible engine weight (kg-lb)	57 - 126	95 - 209	115 - 253.5	170 - 374.8	225 - 496	282 - 622

	eOPEN	
	3.1	3.4
DIMENSIONS		
External length (m - ft)	3.1 - 10'2"	3.4 - 11'2"
Inside length (m - ft)	2 - 6'7"	2.16 - 7'1"
External width (m - ft)	1.65 - 5'5"	1.7 - 5'7"
Inside width (m - ft)	0.71 - 2'4"	0.8 - 2'7"
Tube diameter (m - ft)	0.45 - 1'6"	0.45 - 1'6"
Hull angle		
CAPACITY		
Design category	C	C
Number of passengers (ISO)	4	4
Maximum permissible load (kg-lb)	300 - 661	340 - 740
Total weight (kg-lb)	208 - 657	226 - 498
No. of sealed compartments	3	3
PROPULSION		
Shaft	S	L
Max. permissible power (in hp)	-	-
Max. permissible power (in kW)	-	-
Max. permissible engine weight (kg-lb)	57 - 126	95 - 209



TECHNICAL SPECIFICATIONS

	YACHTLINE			
	360	400	440	490
DIMENSIONS (m - ft)				
External length	3.60 - 11'10"	4.00 - 13'1"	4.40 - 14'5"	4.90 - 16'1"
Inside length	2 - 6'7"	2.4 - 7'11"	2.8 - 9'2"	2.98 - 9'9"
External length	1.77 - 5'10"	1.77 - 5'10"	1.86 - 6'1"	2.05 - 6'9"
Inside width	0.86 - 2'10"	0.86 - 2'10"	0.94 - 3'1"	1.05 - 3'5"
Tube diameter	0.455 - 1'6"	0.455 - 1'6"	0.455 - 1'6"	0.5 - 1'8"
CAPACITY				
Number of passengers (ISO)	4	5	6	9
Maximum permissible load (kg-lb)	605 - 1334	735 - 1620	850 - 1874	945 - 2083
Total weight (kg-lb)	193 - 426	218 - 481	273 - 602	390 - 860
No. of sealed compartments	3	3	3	5
PROPULSION				
Shaft	long	long	long	long
Max. permissible power (in hp)	40	50	60	90
Max. permissible power (en kW)	30	38	45	68
Max. permissible engine weight (kg-lb)	119 - 262	119 - 262	128 - 282	179 - 395

	ULTRA-LIGHTWEIGHT CADET RIB ALU				
	240	270	300	330	360
DIMENSIONS (m - ft)					
External length	2.43-8'	2.73-8'11"	3.03-9'11"	3.33-10'11"	3.63-11'11"
Inside length	1.66-5'5"	1.8-6'3"	2.10-6'11"	2.30-7'7"	2.70-8'10"
External length	1.67-5'6"	1.67-5'6"	1.67-5'6"	1.67-5'6"	1.67-5'6"
Inside width	0.78-2'7"	0.78-2'7"	0.78-2'7"	0.78-2'7"	0.78-2'7"
Tube diameter	0.41-1'4"	0.41-1'4"	0.41-1'4"	0.41-1'4"	0.41-1'4"
CAPACITY					
Number of passengers (ISO)	3	4	4+1	5	6
Maximum permissible load (kg-lb)	298-657	396-873	496-1094	551-1215	600-1341
Total weight (kg-lb)	33-73	37-82	43-95	47-104	50-111
No. of sealed compartments	3	3	3	3	3
PROPULSION					
Shaft	short	short	short	short	short
Max. permissible power (in hp)	6	10	15	15	30
Max. permissible power (en kW)	4.5	8	11	11	22
Max. permissible engine weight (kg-lb)	33-73	51-113	56-124	56-124	89-197

	FLAT DECK CADET RIB ALU			
	300	330	360	390
DIMENSIONS (m - ft)				
External length	3.00-9'10"	3.30-10'10"	3.60-11'10"	3.90-12'10"
Inside length	2.10-6'11"	2.30-7'7"	2.70-8'10"	3.00-9'84"
External length	1.67-5'6"	1.67-5'6"	1.67-5'6"	1.67-5'48"
Inside width	0.78-2'7"	0.78-2'7"	0.78-2'7"	0.78-2'56"
Tube diameter	0.41-1'4"	0.41-1'4"	0.41-1'4"	0.41-1'35"
CAPACITY				
Number of passengers (ISO)	5	6	6	7
Maximum permissible load (kg-lb)	463-1021	548-1209	558-1231	643-1418
Total weight (kg-lb)	58-128	62-137	68-150	74-164
No. of sealed compartments	3	3	3	3
PROPULSION				
Shaft	short	short	short	short
Max. permissible power (in hp)	15	15	30	30
Max. permissible power (en kW)	11	11	22	22
Max. permissible engine weight (kg-lb)	56-124	56-124	89-197	89-197



BUILT TO EXPLORE

THE ADVENTURE GOES ON

@Zodiac_Nautic





ZODIAC-NAUTIC.COM

